

ChiRhoStim® (Human Secretin for Injection)

Dosing Guide

Each vial contains 16 mcg when reconstituted which equals 2 mcg per mL

Patient Weight		Exocrine Pancreas Testing	Zollinger Ellison Syndrome Test
		Dose = 0.2 mcg / Kg	Dose = 0.4 mcg / Kg
kgs	lbs	Total Microgram (mcg) Dose*	Total Microgram (mcg) Dose*
5.0	11.0	1.0	2.0
5.5	12.1	1.1	2.2
6.0	13.2	1.2	2.4
6.5	14.3	1.3	2.6
7.0	15.4	1.4	2.8
7.5	16.5	1.5	3.0
8.0	17.6	1.6	3.2
8.5	18.7	1.7	3.4
9.0	19.8	1.8	3.6
9.5	20.9	1.9	3.8
10.0	22.0	2.0	4.0
10.5	23.1	2.1	4.2
11.0	24.2	2.2	4.4
11.5	25.3	2.3	4.6
12.0	26.4	2.4	4.8
12.5	27.5	2.5	5.0
13.0	28.6	2.6	5.2
13.5	29.7	2.7	5.4
14.0	30.8	2.8	5.6
14.5	31.9	2.9	5.8
15.0	33.0	3.0	6.0
15.5	34.1	3.1	6.2
16.0	35.2	3.2	6.4
16.5	36.3	3.3	6.6
17.0	37.4	3.4	6.8
17.5	38.5	3.5	7.0
18.0	39.6	3.6	7.2
18.5	40.7	3.7	7.4
19.0	41.8	3.8	7.6
19.5	42.9	3.9	7.8
20.0	44.0	4.0	8.0
20.5	45.1	4.1	8.2
21.0	46.2	4.2	8.4
21.5	47.3	4.3	8.6
22.0	48.4	4.4	8.8
22.5	49.5	4.5	9.0
23.0	50.6	4.6	9.2
23.5	51.7	4.7	9.4
24.0	52.8	4.8	9.6
24.5	53.9	4.9	9.8
25.0	55.0	5.0	10.0
25.5	56.1	5.1	10.2
26.0	57.2	5.2	10.4
26.5	58.3	5.3	10.6
27.0	59.4	5.4	10.8
27.5	60.5	5.5	11.0

*Divide mcg dose by 2 to get Total mL to be given

Each vial contains 16 mcg when reconstituted which equals 2 mcg per mL

Patient Weight		Exocrine Pancreas Testing	Zollinger Ellison Syndrome Test
		Dose = 0.2 mcg / Kg	Dose = 0.4 mcg / Kg
kgs	lbs	Total Microgram (mcg) Dose*	Total Microgram (mcg) Dose*
28.0	61.6	5.6	11.2
28.5	62.7	5.7	11.4
29.0	63.8	5.8	11.6
29.5	64.9	5.9	11.8
30.0	66.0	6.0	12.0
30.5	67.1	6.1	12.2
31.0	68.2	6.2	12.4
31.5	69.3	6.3	12.6
32.0	70.4	6.4	12.8
32.5	71.5	6.5	13.0
33.0	72.6	6.6	13.2
33.5	73.7	6.7	13.4
34.0	74.8	6.8	13.6
34.5	75.9	6.9	13.8
35.0	77.0	7.0	14.0
35.5	78.1	7.1	14.2
36.0	79.2	7.2	14.4
36.5	80.3	7.3	14.6
37.0	81.4	7.4	14.8
37.5	82.5	7.5	15.0
38.0	83.6	7.6	15.2
38.5	84.7	7.7	15.4
39.0	85.8	7.8	15.6
39.5	86.9	7.9	15.8
40.0	88.0	8.0	16.0
40.5	89.1	8.1	16.2
41.0	90.2	8.2	16.4
41.5	91.3	8.3	16.6
42.0	92.4	8.4	16.8
42.5	93.5	8.5	17.0
43.0	94.6	8.6	17.2
43.5	95.7	8.7	17.4
44.0	96.8	8.8	17.6
44.5	97.9	8.9	17.8
45.0	99.0	9.0	18.0
45.5	100.1	9.1	18.2
46.0	101.2	9.2	18.4
46.5	102.3	9.3	18.6
47.0	103.4	9.4	18.8
47.5	104.5	9.5	19.0
48.0	105.6	9.6	19.2

*Divide mcg dose by 2 to get Total mL to be given

Each vial contains 16 mcg when reconstituted which equals 2 mcg per mL

Patient Weight		Exocrine Pancreas Testing	Zollinger Ellison Syndrome Test
		Dose = 0.2 mcg / Kg	Dose = 0.4 mcg / Kg
kgs	lbs	Total Microgram (mcg) Dose*	Total Microgram (mcg) Dose*
48.5	106.7	9.7	19.4
49.0	107.8	9.8	19.6
49.5	108.9	9.9	19.8
50.0	110.0	10.0	20.0
50.5	111.1	10.1	20.2
51.0	112.2	10.2	20.4
51.5	113.3	10.3	20.6
52.0	114.4	10.4	20.8
52.5	115.5	10.5	21.0
53.0	116.6	10.6	21.2
53.5	117.7	10.7	21.4
54.0	118.8	10.8	21.6
54.5	119.9	10.9	21.8
55.0	121.0	11.0	22.0
55.5	122.1	11.1	22.2
56.0	123.2	11.2	22.4
56.5	124.3	11.3	22.6
57.0	125.4	11.4	22.8
57.5	126.5	11.5	23.0
58.0	127.6	11.6	23.2
58.5	128.7	11.7	23.4
59.0	129.8	11.8	23.6
59.5	130.9	11.9	23.8
60.0	132.0	12.0	24.0
60.5	133.1	12.1	24.2
61.0	134.2	12.2	24.4
61.5	135.3	12.3	24.6
62.0	136.4	12.4	24.8
62.5	137.5	12.5	25.0
63.0	138.6	12.6	25.2
63.5	139.7	12.7	25.4
64.0	140.8	12.8	25.6
64.5	141.9	12.9	25.8
65.0	143.0	13.0	26.0
65.5	144.1	13.1	26.2
66.0	145.2	13.2	26.4
66.5	146.3	13.3	26.6
67.0	147.4	13.4	26.8
67.5	148.5	13.5	27.0
68.0	149.6	13.6	27.2
68.5	150.7	13.7	27.4

*Divide mcg dose by 2 to get Total mL to be given

Each vial contains 16 mcg when reconstituted which equals 2 mcg per mL

Patient Weight		Exocrine Pancreas Testing	Zollinger Ellison Syndrome Test
		Dose = 0.2 mcg / Kg	Dose = 0.4 mcg / Kg
kgs	lbs	Total Microgram (mcg) Dose*	Total Microgram (mcg) Dose*
69.0	151.8	13.8	27.6
69.5	152.9	13.9	27.8
70.0	154.0	14.0	28.0
70.5	155.1	14.1	28.2
71.0	156.2	14.2	28.4
71.5	157.3	14.3	28.6
72.0	158.4	14.4	28.8
72.5	159.5	14.5	29.0
73.0	160.6	14.6	29.2
73.5	161.7	14.7	29.4
74.0	162.8	14.8	29.6
74.5	163.9	14.9	29.8
75.0	165.0	15.0	30.0
75.5	166.1	15.1	30.2
76.0	167.2	15.2	30.4
76.5	168.3	15.3	30.6
77.0	169.4	15.4	30.8
77.5	170.5	15.5	31.0
78.0	171.6	15.6	31.2
78.5	172.7	15.7	31.4
79.0	173.8	15.8	31.6
79.5	174.9	15.9	31.8
80.0	176.0	16.0	32.0
80.5	177.1	16.1	32.2
81.0	178.2	16.2	32.4
81.5	179.3	16.3	32.6
82.0	180.4	16.4	32.8
82.5	181.5	16.5	33.0
83.0	182.6	16.6	33.2
83.5	183.7	16.7	33.4
84.0	184.8	16.8	33.6
84.5	185.9	16.9	33.8
85.0	187.0	17.0	34.0
85.5	188.1	17.1	34.2
86.0	189.2	17.2	34.4
86.5	190.3	17.3	34.6
87.0	191.4	17.4	34.8
87.5	192.5	17.5	35.0
88.0	193.6	17.6	35.2
88.5	194.7	17.7	35.4
89.0	195.8	17.8	35.6

*Divide mcg dose by 2 to get Total mL to be given

Each vial contains 16 mcg when reconstituted which equals 2 mcg per mL

Patient Weight		Exocrine Pancreas Testing	Zollinger Ellison Syndrome Test
		Dose = 0.2 mcg / Kg	Dose = 0.4 mcg / Kg
kgs	lbs	Total Microgram (mcg) Dose*	Total Microgram (mcg) Dose*
89.5	196.9	17.9	35.8
90.0	198.0	18.0	36.0
90.5	199.1	18.1	36.2
91.0	200.2	18.2	36.4
91.5	201.3	18.3	36.6
92.0	202.4	18.4	36.8
92.5	203.5	18.5	37.0
93.0	204.6	18.6	37.2
93.5	205.7	18.7	37.4
94.0	206.8	18.8	37.6
94.5	207.9	18.9	37.8
95.0	209.0	19.0	38.0
95.5	210.1	19.1	38.2
96.0	211.2	19.2	38.4
96.5	212.3	19.3	38.6
97.0	213.4	19.4	38.8
97.5	214.5	19.5	39.0
98.0	215.6	19.6	39.2
98.5	216.7	19.7	39.4
99.0	217.8	19.8	39.6
99.5	218.9	19.9	39.8
100.0	220.0	20.0	40.0
100.5	221.1	20.1	40.2
101.0	222.2	20.2	40.4
101.5	223.3	20.3	40.6
102.0	224.4	20.4	40.8
102.5	225.5	20.5	41.0
103.0	226.6	20.6	41.2
103.5	227.7	20.7	41.4
104.0	228.8	20.8	41.6
104.5	229.9	20.9	41.8
105.0	231.0	21.0	42.0
105.5	232.1	21.1	42.2
106.0	233.2	21.2	42.4
106.5	234.3	21.3	42.6
107.0	235.4	21.4	42.8
107.5	236.5	21.5	43.0
108.0	237.6	21.6	43.2
108.5	238.7	21.7	43.4
109.0	239.8	21.8	43.6
109.5	240.9	21.9	43.8

*Divide mcg dose by 2 to get Total mL to be given

Each vial contains 16 mcg when reconstituted which equals 2 mcg per mL

Patient Weight		Exocrine Pancreas Testing	Zollinger Ellison Syndrome Test
		Dose = 0.2 mcg / Kg	Dose = 0.4 mcg / Kg
kgs	lbs	Total Microgram (mcg) Dose*	Total Microgram (mcg) Dose*
110.0	242.0	22.0	44.0
110.5	243.1	22.1	44.2
111.0	244.2	22.2	44.4
111.5	245.3	22.3	44.6
112.0	246.4	22.4	44.8
112.5	247.5	22.5	45.0
113.0	248.6	22.6	45.2
113.5	249.7	22.7	45.4
114.0	250.8	22.8	45.6
114.5	251.9	22.9	45.8
115.0	253.0	23.0	46.0
115.5	254.1	23.1	46.2
116.0	255.2	23.2	46.4
116.5	256.3	23.3	46.6
117.0	257.4	23.4	46.8
117.5	258.5	23.5	47.0
118.0	259.6	23.6	47.2
118.5	260.7	23.7	47.4
119.0	261.8	23.8	47.6
119.5	262.9	23.9	47.8
120.0	264.0	24.0	48.0
120.5	265.1	24.1	48.2
121.0	266.2	24.2	48.4
121.5	267.3	24.3	48.6
122.0	268.4	24.4	48.8
122.5	269.5	24.5	49.0
123.0	270.6	24.6	49.2
123.5	271.7	24.7	49.4
124.0	272.8	24.8	49.6
124.5	273.9	24.9	49.8
125.0	275.0	25.0	50.0
125.5	276.1	25.1	50.2
126.0	277.2	25.2	50.4
126.5	278.3	25.3	50.6
127.0	279.4	25.4	50.8
127.5	280.5	25.5	51.0
128.0	281.6	25.6	51.2
128.5	282.7	25.7	51.4
129.0	283.8	25.8	51.6
129.5	284.9	25.9	51.8
130.0	286.0	26.0	52.0
130.5	287.1	26.1	52.2
131.0	288.2	26.2	52.4
131.5	289.3	26.3	52.6
132.0	290.4	26.4	52.8

*Divide mcg dose by 2 to get Total mL to be given